

Comparison of solar based closed loop dc-dc converter using PID and ANN control for shunt motor drive

S. Jayaprakash¹, R. Ramani², M. Kavitha³, V. Senthil Nayagam⁴

^{1,3,4} School of Electrical and Electronics Engineering, Sathyabama Institute of Science and Technology, India

² Department of Medical Surgical Nursing, Sree Balaji College of Nursing, BIHER, India

Article Info

Article history:

Received Dec 28, 2018

Revised Jan 18, 2019

Accepted Mar 8, 2019

Keywords:

Artificial neural network

Converter

Shunt motor

Solar energy

ABSTRACT

This paper explained details of Comparison of solar based closed loop DC - DC converter using PID and ANN Control for Shunt motor drive. Solar panel output is given to full bridge converter, stepup transformer, full wave converter, π filter and Shunt motor drive are connected. Comparator compare the set value and the output signal of the motor produce a signal, based on the signal, full wave conveter produce the voltage to run the motor, Speed of motor, Torque and Armature current, Rise time, Peak time, Settling time and Steady state error are measured and evaluated by experimental. A circuit operation and simulation designed for a 1000 RPM speed of shunt motor arrived and tested.

Copyright © 2019 Institute of Advanced Engineering and Science.
All rights reserved.

Corresponding Author:

S. Jayaprakash,

School of Electrical and Electronics Engineering,

Sathyabama Institute of Science and Technology (Deemed to be University),

Chennai-600119, Tamil Nadu, India.

Email: jakash123@yahoo.co.in

1. INTRODUCTION

The time of operation, Quasi-square wave is used. High amount of inductance current ripple is desired in this manner that is restricted the maximum achievable managed by this method and current collective among the modules, total power is increased based on the quantity of modules. Advantage of this circuit is total current ripple was minimized and increased efficiency for low to intermediate load [1]. Fixed-frequency restricted three-phase DC-DC LCL-type series resonant converter with incorporated boost function is future for middle to great power applications with broad input voltage difference is typical of alternate energy sources. In this circuit component stresses decreases because of parallel connected LCL-type resonant bridge inverter modules and also predetermined frequency control of output power achieved, input voltage is boosted [2]. Thermal pressure investigation of the modular multilevel converter and in operation are provided and proposes a thermal matching advance, which is embedded in the capacitor voltage-balancing algorithm. Thermal balancing is to attain related pressure distribution with the special sub-modules to improve the lifetime. The joint temperatures in the special sub modules are considered for HVDC applications [3]. This type of converter overcomes the fine voltage gain and getting more amount of efficiency during the broad choice of operation voltage with connecting full-bridge mode and a half-bridge mode operation during each switching cycle. A fixed-frequency phase-shift control system is planned with normalized voltage gain to the load. In case of broad range, maintain less conduction losses [4]. The DC Micro grid connected with Renewable energy sources and energy storage system [5]. Hardware implementation of solar based DC-DC converter for inductive load application [6] Regenerative braking concept for electric vehicle enhanced with bidirectional converter [7] Power reliability with photovoltaic system [8] control of GSO method based on HPFC using an interconnected hybrid power generation

systems [9] interleaved boost converter combined with switched capacitor for the low power application [10] Different control techniques for interleaved DC-DC converter [11]. The proposed converter's block diagram, operation of the circuit, speed and Torque wave forms are discussed in this paper.

2. BLOCK DIAGRAM OF PROPOSED SHUNT MOTOR DRIVE

Figure 1 shows block diagram of proposed Shunt motor drive circuit. In this diagram input voltage is getting from solar panel, output side connected shunt motor drive. PID control circuit and Artificial Neural Network control circuit is control the full wave converter.




Figure 1. Block diagram of proposed shunt motor drive

3. PROPOSED ANN CONTROL CIRCUIT FOR SHUNT MOTOR DRIVE

Figure 2 shown in circuit diagram of closed loop DC-DC converter using ANN control circuit for Shunt motor drive. From solar panel some DC voltage is present that voltage applied to the first converter, single PWM circuit is controlled to the first converter of the circuit. Full wave converter is connected secondary side of transformer then connected ANN closed circuit.




Figure 2. ANN control circuit for shunt motor drive

In Figure 2 source side some DC voltages are present from a solar panel initially turn on the switches M and M3 after some time turn on the switches M1 and M2, like full bridge converter is present. So, this converter connects AC voltage that voltage applied to the step-up transformer this transformer is step up the AC voltage that transformer output voltage is passed to the load side converter. In the load side Converter M5 and M7 is triggered after that switches M6 and otherswitch are triggered from this converter DC voltage is present. Filtered this DC voltage in a filter circuit then DC voltage applied to the shunt motor drive.

Shunt motor drive circuit is forming the closed path with ANN control circuit. Based on ANN control circuit pulses producing; this pulse triggered to the load side converter and generates output voltage to that shunt motor run at constant speed.

Figure 3 indicate the input voltage of the proposed circuit. In the waveform nearly 125 voltages is from solar panel circuit that will be move to the source side converter.




Figure 3. Input voltage of a proposed circuit

Figure 4 indicating speed of the motor. In this diagram motor runs at 1000 RPM (constant speed) with help of ANN control closed circuit.




Figure 4. Speed of the motor

Figure 5. Indicating Torque of the motor and Figure 6 indicating armature current of the motor.




Figure 5. Torque of the motor




Figure 6. Armature current of the motor

4. ANALYSIS OF SOLAR BASED CLOSED LOOP DC-DC CONVERTERS

Analysis of solar based closed loop DC-DC Converter using PID control and ANN Control for Shunt motor drive was done. The readings are noticeable in the Table 1. In the PID controller circuit rise time is 0.05 is present and the same time Artificial Neural Network Control circuit rise time 0.82 present likewise peak time and settling time also noticeable. The analysis is shown in Figure 7.

Table 1. Experimental result

Controllers	Rise time (S)	Peak time (S)	Settling time (S)	Steady State Error (RPM)
PID Controller	0.05	0.24	1.3	10
Artificial Neural Network Controller	0.82	0.02	0.6	0.9




Figure 7. Analysis of settling time

5. CONCLUSION

The analysis of solar based closed loop DC-DC Converter using PID control and Artificial Neural Network for shunt motor drive is simulated. Solar panel output is given to full bridge converter, stepup transformer, full wave converter, π filter and Shunt motor drive are connected. Settling time of PID control is high as compared to Artificial Neural Network control circuit. This circuit operation and simulation designed for a 1000RPM speed of shunt motor arrived and tested.

REFERENCES

- [1] Aitor Vazquez, Alberto Rodriguez, Diego G. Lamar and Marta M. Hernando, "Advanced Control Techniques to Improve the Efficiency of IPOP Modular QSW-ZVS Converters," *IEEE Transactions on Power Electronics*, vol. 33, no. 1, pp 73- 86, Jan 2018.
- [2] Nagendrappa Harischandrapa and Ashoka K. S. Bhat, "A Fixed-Frequency ZVS Integrated Boost Dual Three-Phase Bridge DC-DC LCL-Type Series Resonant Converter," *IEEE Transactions on Power Electronics*, vol. 33, no. 2, pp. 1007-1023, Feb 2018.
- [3] Frederik Hahn, Markus Andresen, Giampaolo Buticchi and Marco Liserre, "Thermal Analysis and Balancing for Modular Multilevel Converters in HVDC Applications," *IEEE Transactions on Power Electronics*, vol. 33, no. 3, pp 1985-1996, Mar 2018.
- [4] Yanfeng Shen, Huai Wang, Ahmed Al-Durra, Zian Qin and Frede Blaabjerg, "A Bidirectional Resonant DC-DC Converter Suitable for Wide Voltage Gain Range," *IEEE Transactions on Power Electronics*, vol. 33, no. 4, pp. 2957-2975, Apr 2018.
- [5] Minho Kwon and Sewan Choi, "Control Scheme for Autonomous and Smooth Mode Switching of Bidirectional DC-DC Converters in a DC Microgrid," *IEEE Transactions on Power Electronics*, vol. 33, no. 8, pp. 7094-7104, Aug 2018.
- [6] Jayaprakash S. and V. Ramakrishnan, "Hardware Implementation of Single-Stage Solar Based DC-DC Converter for Inductive Load. Application." *In Applied Mechanics and Materials*, vol. 573, pp. 31-34. 2014.
- [7] M. Kavitha, V. Elanangai, S. Jayaprakash, V. Balasubramanian, "Development of Regenerative Braking Concept for Electric Vehicle Enhanced with Bidirectional Converter," *International Journal of Power Electronics and Drive System (IJPEDS)*, vol. 9, no. 4, pp. 1584-1590, Dec 2018,.
- [8] Senthil Nayagam V., "Power reliability improvement of inverter with photovoltaic system," *Indian Journal of Science and Technology*, vol. 8, no. 6, pp. 570-573, 2015.

- [9] A. Murugan., V. Rama Krishnan, "Modeling and control of GSO method based on HPFC using an interconnected hybrid power generation systems," *Journal of Advanced Research in Dynamical and Control Systems*, vol. 15, pp. 780-786, 2017.
- [10] V. S. Nayagam and L. Premalatha, "Implementation of high voltage gain interleaved boost converter combined with Switched Capacitor for the low power application," *International Conference on Computation of Power, Energy Information and Communication (ICCPEIC'16)*, 2016, pp. 777-782.
- [11] M. Kavitha and V. Sivachidambaranathan, "Comparison of Different Control Techniques for Interleaved DC-DC Converter," *International Journal of Power Electronics and Drive System*, vol. 9, no. 2, pp. 641-647, 2018.

BIOGRAPHIES OF AUTHORS



S. Jayaprakash completed Diploma in Electrical and Electronics Engineering, DOTE, Chennai, in 1996, B.E. Degree in Electrical and Electronics from the University of Madras in 1999, M.E. Degree in Power Electronics and Industrial Drives from Sathyabama University in 2007 and obtained his Ph.D., from Sathyabama Institute of Science and Technology in 2018, Chennai, Tamilnadu, India. He has experience of more than 13 years in teaching and more than 3 years industrial fields. He has published more than 15 technical papers in various journals and conferences both national and international. He is currently the Assistant Professor at School of EEE at Sathyabama Institute of Science and Technology. He is a member of International Association of Engineers and life member of Indian Society for Technical Education. His research focus is on Power Electronic Converters, PWM Technique in Power Electronics and other related topics.



R. Ramani has received her Bachelor of Science in Nursing from Adhiparasakthi College of Nursing, Tamilnadu, India in 2001 and Master of Science in Nursing degree in Medical Surgical Nursing from Adhiparasakthi College of Nursing, Tamilnadu, India in 2009. He is pursuing his Ph.D at Bharath Institute of Higher Education and Research from 2017.



M. Kavitha has received her B.E degree in Electrical and Electronics Engineering from Bharathiyar University, Tamilnadu, India in 2000 and M.E degree in Power Systems Engineering from Anna University, Tamilnadu, India in 2012. She is pursuing her Ph.D under the faculty of Electrical and Electronics Engineering at Sathyabama Institute of Science and Technology from 2014. Her research interest includes Renewable Energy sources, Energy storage system, Fuzzy logic controller, Artificial Neural network and Power Electronic Converters.



V. Senthil Nayagam has received his B.E degree in Electrical and Electronics Engineering from Sri SaiRam Engineering College, Tamilnadu, India in 2009 and M.E degree in Power Electronics and drives from St. Joseph's College of Engineering, Tamilnadu, India in 2011. He is pursuing his Ph.D under the Faculty of Electrical and Electronics Engineering at Sathyabama Institute of Science and Technology from 2013. His research interest includes DC-DC Converters for Renewable Energy sources, Energy storage system, BLDC Motor.